

## Implementation on the website

**GATE:** search engine implemented on your website – good-looking and professional!

On your website, you implement scripts which take the search engine from our servers and implement it as a document content (integrated element of your website). Apart from search engine, the additional widgets are available, e.g. promotional box which can be placed anywhere on the website. A single activation fee is only **100 PLN/net**. The price includes necessary files and a simple demo site with available widgets.

### 1. Upload file on the server

Before the installation, please upload files `.htaccess` and `rwdgate.php` located in the installation package. Other files from the package are additional and are only the demonstration of the installation. Server configuration file (`.htaccess`) has to be installed on the main folder of the project (the `index.php` file will be located there as well), `rwdgate.php` file may be uploaded in any location but make sure to set the correct path during implementation of the library (see point 2).

**2. Library implementation** (in the constructor, provide affiliate identifier which can be found on the administration bar in the VacationsCMS panel):

```
<?php
    require_once 'rwdGate.php';
    $rwdgate = new rwdGate('3987123456');
?>
```

**3. Widget implementation** (using id):

```
<?php $widgets = array(lista_id); ?>
```

sample:

```
<?php
    $widgets = array(2120310, 2120315, 2120320, 2120330, 2138306);
    $rwdgate->fetch($widgets);
?>
```

Widget Id can be found in the VacationsCMS administration panel after selecting preview ID option (top menu of the panel, black bar - Configuration).

**4. Addition of the code required to access Javascript/CSS resources** using client's server. Any test/HTML content cannot be sent to a browser prior to requesting the code.

```
<?php
    if ($rwdgate->isRawResult())
    {
        $rwdgate->printRawResult();
    }
?>
```

```
        die();
    }
?>
```

## 5. Header implementation in the head section:

```
<?php echo $rwdgate->getSection('HEAD'); ?>
```

## 6. Implementation of parts:

Any iteration method can be used, either by elements or element id (sample):

```
<?php
    $list = $rwdgate->getSectionsList();

    if (in_array('2120310', $list ))
    {
        echo '<div>'.$rwdgate->getSection('2120310').'</div>';
    }
?>
```

**Notice:** it is necessary to implement BODY element, which is responsible for further steps of search process (results, details, booking and confirmation).

```
<?php $rwdgate->getSection('BODY'); ?>
```

If you want to show some elements on the main site but not on the other subpages, use the following condition:

```
<?php
    if (in_array('BODY', $list ))
    {
        echo $rwdgate->getSection('BODY');
    }

    else
    {
        echo 'elementy strony głównej';
    }
?>
```

## 7. Footer implementation (after implementation of every other element/widget)

```
<?php $rwdgate->getSection('FOOTER'); ?> [OBJ]
```

## 8. Offer cart

Display of the amount of offers added to the cart (information displayed in any place on the website):

```
<a href="#" class="btn-cart text text-color-16 text-hover-18">
    <span class="yourCart">Schowek ofert:
    <span class="countCart">
        <script>
```

```

        if( sessionStorage.getItem('EasyCart'))
        {
            if (document.readyState == 'complete' || document.readyState ==
'interactive' || document.readyState == 'loaded')
                $('countCart').html(JSON.parse( sessionStorage.getItem('Eas
yCart')).length);
            else
                document.write(JSON.parse( sessionStorage.getItem('EasyCart
')).length);
        }
        else
            if (document.readyState == 'complete' || document.readyState ==
'interactive' || document.readyState == 'loaded')
                $('countCart').html('0');
            else
                document.write("0");
    </script>
</span>
</span>
</a>

```

Display of the open cart with offers as a new layer. Needs to be implemented just before the BODY element.

```
<?php echo '<main></main>'; ?> OBJ
```

## 9. Autosearch

Quicksearch field.

Add autosearch to a list of received elements:

```
<?php
    $widgets = array(2120310, 2120315, 2120320, 2120330, 2138306, 'quicksea
rch');
    $rwdgate->fetch($widgets);
?>
```

Display search field in the chosen location:

```
<?php    echo $rwdgate->getSection('quicksearch'); ?>
```